STRATUS DOUGH SHEETERS











KNOW-HOW

70 years at your side



With 70 years' experience, Bertrand Puma has achieved its high level of expertise thanks to unique know-how in the design of equipment for bakeries and patisseries, and the development of Made in France products that are ever more reliable and efficient.

VISIT WWW.BERTRAND-PUMA.FR

LAB

Discover your future equipment



As a demonstration and training center, our LAB' is at your disposal for real-life testing of our equipment. Our Boulanger Démonstrateur is there to advise and assist you.

MAKE AN APPOINTMENT +33 (04) 75 57 55 00

ASSISTANCE

At your service



Benefit from the power of a worldwide network of distributors! We provide local support to bakers around the world, helping you at every stage of your project.

CALL US ON +33 (04) 75 57 55 00

DES LAMINOIRS COMPACTS & ADAPTÉS À VOTRE PRODUCTION

The STRATUS range is made of table standing dough sheeters (Junior) and floor standing ones (Senior and Senior XL).

STRATUS sheeters can handle dough pieces from 3 to 10 kg, depending on the model.

Space-saving thanks to upward-folding tables, they guarantee constant dough strip thickness for products of uniform size and weight.









ORDITION ROBUST CONSTRUCTION

Particularly **sturdy**, the STRATUS dough sheeter's frame and cover are made of **epoxy painted steel**, and allow you to work without physical strain or fatigue.

T EASY TO USE

The **tear-proof feed rollers** at the entry of the conveyor belt ensures a smooth and easy use.

A reinforced aluminum adjustment lever guarantees a **consistent final thickness** of the dough bands to obtain products of **regular size and weight**.

© ERGONOMICS & COMFORT

The **ergonomic handle** of the lever ensures a reliable and precise manipulation, for an effortless adjustment of the cylinder opening. Those cylinders, made of **stainless steel**, are protected thanks to a safety microswitch and gas springs.

A **reinforced joystick** that guides the procession of the dough is at the front of the machine.

The Senior XL dough sheeter, for its part, has orange handles as well as a **pedal for the cycle reversal**.

OUICK BELT CHANGE

A tedious and time-consuming task, **changing the dough sheeter's belt is made easy** thanks to a table release system that allows the belts to be replaced in just thirty minutes.



† DESIGN AT THE SERVICE OF HYGIENE

Special attention has been payed to the construction of the STRATUS dough sheeters in order to **facilitate the cleaning operations**. Their compact and linear design with **smooth surfaces, the removable and foldable tables, or the belts in woven plastic**, are all factors that simplify the daily maintenance of the machine.

SENIOR XL PLATINIUM

The Stratus Senior XL dough sheeter is also available in Platinium version, full options.

The table, that has been **reinforced** for the cutting of the dough, **includes as standard a support frame for the cutting tools, with a cutting tool provided** (can be changed when placing the order). Other cutting tool formats are available as accessories.

For even more precision and comfort, this dough sheeter has a **digital reading of the cylinder opening**, a **two-speed selector switch**, as well as a **dual control pedal** for the cycle reversal.









LAMINOIRS STRATUS OUR MODELS



STRATUS JUNIOR

The STRATUS Junior tabletop dough sheeter is the perfect piece of equipment for small spaces, and can be easily integrated into a work table for added convenience. The tables fold upwards to save even more space.

Ideal for small production volumes, it enables efficient, regular work every day.



STRATUS SENIOR

The Stratus Senior floor standing dough sheeter is ideal for small to medium-sized production runs.

With its lift-up tables and wheeled frame, it is easy to move around, freeing up space once lamination is complete.



STRATUS SENIOR XL & PLATINIUM

Upgrade to XL format for higher production volumes!

In its Platinium version, the Stratus Senior XL dough sheeter can be fitted with cutting tools to produce a wide variety of products comfortably and consistently.



PLATINIUM RANGE

Access the most technical options for consistently precise work and unbeatable results. The answer to the demands of professionals who always aim for superior results.



SAFETY

All our equipment is certified by an external, independent organization.

CUTTING SHAPES

A wide range of cutting tools are available to produce a variety of products:

| CROISSANT | RECTANGLE | SMOOTH ROUND & OVAL | FLUTED ROUNDS& OVAL |
|----------------|--------------|------------------------|------------------------|
| B130 x H210 mm | 110 x 135 mm | 200 x 270 mm | 90 x 180 mm |
| B140 x H170 mm | 130 x 135 mm | 90 x 180 mm | Ø140 mm |
| B110 x H137 mm | 80 x 150 mm | Ø140 mm | Ø100 mm |
| B80 x H107 mm | 80 x 85 mm | Ø100 mm | |

CADET DOUGH SHEETER For even tighter spaces, there's the **CADET** dough sheeter! This tabletop dough sheeter is equipped with fixed stainless steel tables. With a length of 1090

mm and a depth of 875 mm, it fits easily into the

smallest laboratory configurations.

DATA & DIMENSIONS

| STRATUS | STRATUS | STRATUS |
|---------|-----------|-----------|
| SENIOR | SENIOR XL | SENIOR XL |

- not available • standard

| | STRATUS JUNIOR | STRATUS SENIOR | STRATUS SENIOR XL | STRATUS SENIOR XL PLATINIUM | |
|--|---------------------------|-------------------|----------------------|-----------------------------------|--|
| Roller width (mm) | 550 | 550 | 600 | 600 | |
| Table length (mm) | 800 | 1000 | 1400 | 1400 | |
| Cylinder opening (mm) | 0 - 38 | 0 - 38 | 0 - 38 | 0 - 38 | |
| Max. overall height (mm) | 965 | 1770 | 2100 | 2100 | |
| Max. overall length (mm) | 1700 | 2420 | 3330 | 3330 | |
| Max. overall width (mm) | 945 | 945 | 996 | 996 | |
| Max. dough pieces weight (kg)* | 3 | 3 | 6 à 10 | 6 à 10 | |
| Weight (kg) | 91 | 150 | 218 | 236 | |
| 2 recovery shelves | - | • | • | • | |
| Stand with wheels | - | • | • | • | |
| Support frame for cutting tools 1 cutting tool (to choose in the list) Double speed Reinforced table Dual control pedal Digital display | - | - | - | • | |
| Electrical supply | 400V / TRI+N+T / 50-60 Hz | | | | |
| Power (kW) | 0,55 | 0,55 | 0,75 | 0,75 | |
| Rated current (A) | 1,8 | 1,8 | 1,8 | 1,8 | |

^{*} Indicative data may vary according to the type of dough and final thickness to be obtained.

MANY AND MORE, REAL GOODS





555 Rue Benoit Frachon, 26800 PORTES-LES-VALENCE (France) Phone: +33 (0) 475 575 500 - Email: contact@sebp-bertrand.com www.bertrand-puma.fr

an Ali Group Compan

